

Vaccine Fact Sheet: RSV (Adult)

Topic	ABRYOVO™	AREXVY™	MRESVIA®
Manufacturer	Pfizer Prescribing Info (FDA)	GSK Prescribing Info (FDA)	Moderna Prescribing Info (FDA)
Protects Against	Respiratory Syncytial Virus	Respiratory Syncytial Virus	Respiratory Syncytial Virus
Routine Schedule & Intervals	<ul style="list-style-type: none"> 1 dose for ≥ 75 years 1 dose for 50-74 years at increased risk of severe disease 1 dose for pregnant individuals at 32-36 weeks gestational age using seasonal administration (typically September to January) 	<ul style="list-style-type: none"> 1 dose for ≥ 75 years 1 dose for 50-74 years at increased risk of severe disease 	<ul style="list-style-type: none"> 1 dose for ≥ 75 years 1 dose for 50-74 years at increased risk of severe disease
Funding Source	VFC, VFA, LHD 317	VFC, VFA, LHD 317	VFC, VFA, LHD 317
Approved Ages	<ul style="list-style-type: none"> Individuals ≥60 years 18-59 years at increased risk Pregnant individuals at 32-36 weeks gestational age 	<ul style="list-style-type: none"> Individuals ≥60 years Individuals 50-59 years who are at increased risk 	<ul style="list-style-type: none"> Individuals ≥60 years 18-59 years at increased risk
Administration	IM (intramuscular) injection	IM (intramuscular) injection	IM (intramuscular) injection
Packaging	Supplied as a vial of lyophilized antigen component and prefilled syringe of sterile water diluent. Requires reconstitution before use.	Supplied as a vial of lyophilized antigen component and vial of adjuvant suspension. Requires reconstitution before use.	Supplied as a pre-filled plastic syringe. Supplied in carton of 1 or 10 doses.

Vaccine Fact Sheet: Respiratory Syncytial Virus (RSV)

Topic	ABRYOVO™	AREXVO™	MRESVIA®
	<p>Or vaccine is packaged as a vial of lyophilized antigen component and vial of sterile water diluent. Requires reconstitution before use. Supplied in cartons of 1, 5, or 10 kits.</p>	<p>Supplied in carton of 10 doses.</p>	
Dosage	<p>0.5mL single dose after reconstitution</p>	<p>0.5mL single dose after reconstitution</p>	<p>0.5mL single dose</p>
Storage	<p>Before reconstitution:</p> <p>Refrigerate between 2°C and 8°C (36°F and 46°F) in original carton. Do not freeze. Discard if carton has been frozen.</p> <p>After reconstitution:</p> <p>Administer immediately or store at room temperature between 15°C and 30°C (59°F and 86°F) and use within 4 hours.</p>	<p>Before reconstitution:</p> <p>Refrigerate between 2°C and 8°C (36°F and 46°F) in original carton to protect from light. Do not freeze. Discard if antigen or adjuvant suspension components have been frozen.</p> <p>After reconstitution:</p> <p>Administer immediately or refrigerate between 2°C and 8°C (36°F and 46°F) or store at room temperature up to 25°C (77°F) for up to 4 hours prior to use.</p>	<p>Store frozen between -40°C and -15°C (-40°F and 5°F).</p> <p><u>Storage after thawing:</u></p> <p>Refrigerate between 2°C and 8°C (36°F and 46°F) for up to 90 days prior to use.</p> <p>After removal from refrigerated conditions, syringes may be stored between 8°C and 25°C (46°F and 77°F) for a total of 24 hours then discard.</p> <p>Syringes should not be returned to refrigerator after being at room temperature. Do not refreeze once thawed. Do not shake. Minimize exposure to room light; avoid direct sunlight and ultraviolet light.</p>
Expiration Date	<p><u>36 months from manufacture date (PDF)</u></p>	<p><u>24 months from manufacture date (PDF)</u></p>	<p><u>18 months from manufacture date (PDF)</u></p>

Vaccine Fact Sheet: Respiratory Syncytial Virus (RSV)

Topic	ABRYSSVO™	AREXVY™	MRESVIA®
Recommendations	Respiratory Syncytial Virus (RSV) (ACIP) Respiratory Syncytial Virus (RSV) (CDC)	Respiratory Syncytial Virus (RSV) (ACIP) Respiratory Syncytial Virus (RSV) (CDC)	Respiratory Syncytial Virus (RSV) (ACIP) Respiratory Syncytial Virus (RSV) (CDC)
VIS	RSV VIS	RSV VIS	RSV VIS
Program Letter	VFA Letter (PDF) VFC Letter (PDF)	VFA Letter (PDF)	VFA Letter (PDF)
Billing Codes	Vaccine CPT Code 90678 NDC Codes 0069-0207-01, 0069-0250-01, 0069-0344-01, 0069-0344-05, 0069-0344-10, 0069-0344-21 Administration Code 90471 Fall Respiratory Vaccine Codes	Vaccine CPT Code 90679 NDC Codes 58160-723-03, 58160-744-03, 58160-848-11 Administration Code 90471 Fall Respiratory Vaccine Codes	Vaccine CPT Code 90683 NDC Codes 80777-345-01, 80777-345-61, 80777-345-62, 80777-345-63, Administration Code 90471 Fall Respiratory Vaccine Codes
Comments	Licensed in 2023	Licensed in 2023	Licensed in 2024

Refer to [Vaccine Fact Sheets](https://EZIZ.org/Resources/VaccineFactSheets) (EZIZ.org/Resources/VaccineFactSheets).